Introduction



Tubular Heater Introduction

Typical Applications

- ➡ Forced air heating
- Thermal forming machines
- •• Direct immersion in liquids
- Comfort radiant heaters
- Welded, brazed or clamped to tanks and pipes
- Hot runner molds
- Combination radiant and convection heater for ovens and dryers

Construction Characteristics

Tempco Tubular Heaters are the most versatile and widely used source of electric heat for industrial, commercial and scientific applications. They can be designed in a wide range of electrical ratings, diameters, lengths, terminations, and sheath materials. Important and useful characteristics of tubular heaters are that they can be formed into virtually any shape, brazed or welded to any metal surface, and cast into metals. Carefully researched manufacturing methods and quality materials have made Tempco tubular heaters stand apart from other heating elements claiming similar performance.

> The cutaway view shows the tubular heater's basic construction. A computerdesigned helical coil of 80% Nickel 20% Chromium alloy resistance wire is

> fusion welded to the nickel-coated steel terminal cold pin. This coil assembly is



precisely stretched and centered in the element metal sheath, which is then filled with Grade "A" Magnesium Oxide powder (MgO). The filled tube is then compacted by a roll reduction

Design Guidelines

Resistance Tolerance

Tubular heating elements have an Industry Standard Resistance Tolerance of +10%, -5% which translates to a Wattage Tolerance of +5%, -10%. Consult Tempco if tighter tolerances are required for your application.

Watt Density

Element Watt Density is the wattage dissipated per square inch of the element sheath surface and is critical to the proper heating of the application and to the life expectancy of the heater. The Watt Density is calculated with the following formula:

Watt Density (w/in²) = $\frac{\text{Element Wattage}}{\pi \times \text{Element Dia.} \times \text{Element Heated Length}}$

For a particular application element watt density will govern element sheath and internal resistance wire temperature. Factors to consider when choosing a suitable watt density are:

- **1.** Many materials are heat sensitive and can decompose or be damaged if the element is running too hot.
- **2.** Air and other gases that are poor conductors of heat require watt densities matched to the velocity of the gas flow to prevent element overheating.
- **3.** When heating hard water or cleaning solutions, mineral deposits can build up on the element sheath, acting as a heat insulator and raising the internal element temperature. If these deposits cannot be periodically removed, use a lower watt density element to increase heater life expectancy.
- **4.** Page 16-12 in the Engineering Data Section of this catalog lists the maximum recommended heater watt density for many materials. For additional information and help please contact Tempco.



Important Note — When heating any substance it is critical to match the heater watt density, operating temperature and sheath material to the specific medium being heated. Failure to do so will result in premature heater failure and/or unsafe conditions.

mill into a solid mass, permanently stabilizing the coil in the center of the tube while providing excellent heat transfer and dielectric strength between the coil and the sheath.





Tempco Tubular Heating Elements are certified as Recognized Components by Underwriters Laboratories (File Number E90771) under CCN UBJY2/8 to meet Standard UL1030. Tempco's equivalent CSA File Number is 043099.

These files specify the end use Watt Density limitations and conditions of acceptability for the use of this type heater. For additional information consult Tempco.

If you require UL, CSA, or other NRTL agency approvals, please specify when ordering.





10610 CONTROL PLACE DALLAS, TEXAS 75238

Design Specifications



Tubular Heater Standard Specifications

Element Diameter		nent neter	Maximum	Maximum	Resistanc per Hea	e in Ohms ted Inch	n	Sheat nin.	h Leng m	ith ax.
	in	mm	Voltage	Amperage	min	max	in	mm	in	mm
	.260	6.6	250	15	.100	17	11	279	200	5080
	.315	8.0	480	30	.060	21	11	279	200	5080
	.375	9.5	600	30	.040	21	11	279	200	5080
	.430	10.9	600	40	.040	21	11	279	268	6807
	.475	12.1	600	40	.040	21	11	279	268	6807
	.625	15.9	600	40	.040	17	11	279	255	6477 /



Le	ength	Sheath Tolera	Length nce (±)	Heated Toleran	Length ice (±)	Minimum Unh Each	eated Leng End	gth
in	mm	in	mm	in	mm	in	mm	
11-20	279-508	3/32	2.4	1/4	6	1	25	
20-50	508-1270	1/8	3.2	1/2	13	1-1/4	32	
50-80	1270-2032	5/32	4.0	7/8	22	1-1/2	38	
80-110	2032-2794	3/16	4.8	1-1/8	29	1-5/8	42	
110-140	2794-3556	7/32	5.6	1-3/8	35	1-3/4	44	
140-170	3556-4318	1/4	6.4	1-5/8	41	2	51	
170-200	4318-5080	3/8	9.5	1-7/8	48	2-1/4	57	,
200-up	5080-up	1/2	12.7	2-3/8	60	2-1/2	64	



Tubular Heater Standard Sheath Materials

The selection of a sheath material should be made based on the chemical composition of the gas or liquid being heated, the characteristics of the materials entering the solution, and the processes controls. A material selection guide can be found on page 16-12.

NOTE: The best source for chemical/sheath compatibility is the supplier of the gas or liquid to be heated.

The following are the most common tubular element sheath materials. For other materials consult Tempco.

Incoloy® 840: Nickel 18-20%, Chromium 18-22%, Iron balance. Has about 10% less nickel than Incoloy 800. Used in many air heating applications, where it has exhibited superior oxidation resistance at less cost than Incoloy 800. **Maximum Sheath Temperature:** 1600°F / 871°C

Incoloy® 800: Nickel 30-35%, Chromium 19-23%, Iron balance. The high nickel content of this alloy contributes to its resistance to scaling and corrosion. Used in air heating and immersion heating of potable water and other liquids. **Maximum Sheath Temperature:** 1600°F / 871°C

316 Stainless Steel: Chromium 16-18%, Nickel 11-14%, Iron balance. Modified with the addition of Molybdenum (2-3%) to improve corrosion resistance in certain environments, especially those which would tend to cause pitting due to the presence of chlorides. Applications include deionized water. **Maximum Sheath Temperature:** 1200°F / 649°C

304 Stainless Steel: Chromium 18-20%, Nickel 8-11%, Iron balance. Used in the food industry, medical, and chemical heating. **Maximum Sheath Temperature:** 1200°F / 649°C

321 Stainless Steel: Chromium 17-20%, Nickel 9-13%, Iron balance. Modified with the addition of Titanium to prevent carbide precipitation and resulting intergranular corrosion that can take place in certain mediums when operating in the 800-1200°F (427-649°C) temperature range.

Maximum Sheath Temperature: 1200°F / 649°C

SOUTHWEST

HEATER & CONTROLS

Copper: Standard Copper Alloy

A low temperature, inexpensive material used mainly for clean water heating. Maximum Sheath Temperature: 350°F / 177°C

Steel: Low Carbon

Used for high to low viscosity oils, asphalt, tar, wax, molten salt, heat transfer liquid media and other compatible solutions. **Maximum Sheath Temperature:** 750°F / 399°C

Other Sheath Materials: Available for a limited number of diameters. Consult Tempco for more information.

Inconel® 600: Iron 6-10%, Chromium 14-17%, Nickel balance **Maximum Sheath Temperature:** 1800°F / 982°C

Incoloy[®] 825: Nickel 38-46%, Chromium 19.5-23.5%, Molybdenum 2.5-3.5%, Iron balance Maximum Sheath Temperature: 1100°F / 593°C



SWHC)

Maximum Sheath Temperature refers to the maximum temperature of the element sheath material. *Consideration must be given to the maximum temperature that can be safely applied to the heated material.* See Watt Density on the previous page for additional information.

Sheath Treatments and Terminations



Incoloy[®] and Stainless Steel Element Sheath Surface Treatments

Standard Surface Finish

The standard tubular heater element surface finish is a black chrome oxide, produced when the element is annealed prior to forming in an exothermic atmosphere furnace.

Optional Surface Finishes

Bright Annealing is an option where the tubular heater is annealed in a dissociated ammonia atmosphere furnace. This produces a clean metallic appearance without surface-etching the sheath. **Electro-Polishing** is an electrochemical process that removes surface imperfections and contaminants, enhancing the corrosion resisting ability of the sheath. The resulting surface is clean, smooth and has a bright finish; it is highly recommended for medical, food and other harsh applications.

Passivation removes surface contamination, usually iron, so that the optimum corrosion resistance of the stainless steel is maintained. Surface contamination could come from the small amount of steel that may be worn off a tool during the manufacturing process.

Standard Tubular Heater Terminations

• • • • • • • Select the termination style that meets your requirements for space, accessibility and reliability. • • • • • • • • • •

Note: If the listed terminations do not seem to fit your requirements, call us and let us design one that will.



		Element	Diameter	Nom Pin Dia	inal meter
	TYPE P—Plain Pin	in	mm	in	mm
	Plain terminal pin. Specify Length "L." Standard 1/2" (12.7 mm) pin length	.260 .315 .375	6.6 8.0 9.5	.091 .105 .105	2.3 2.7 2.7
← "L" →	Standard 1/2 (12.7 min) pin length.	.430 .475 .625	10.9 12.0 15.9	.125 .125 .160	3.2 3.2 4.1



TYPE SF & SF9 (90°) – Quick Connect

1/4" male (3/16" optional) quick connect (slip-on) terminals are welded to the element terminal pin. They provide quick and easy installation of lead wire with excellent holding force. Specify if an optional mica or ceramic insulator is required. Material: Nickel-Plated Steel.



TYPE L & L9 (90°) – Terminal Lug

• A nickel-plated steel lug is projection welded to the terminal pin straight (Type "L_") or at 90° to the sheath (Type "L9_"). Specify if an optional mica or ceramic insulator is required.

Standard LA, L9A 10-32 screw

SWHC SOUTHWEST HEATER & CONTROLS MAIN: 214-340-7500 TOLL FREE: 800-687-2220

Optional LB, L9B 8-32 screw



Terminations

Tubular Heater Standard Terminations



SOUTHWEST

HEATER & CONTROLS

SWHC

Mounting Methods



Tubular Heater Standard Mounting Methods

TYPE B — Bulkhead Fittings

Bulkhead fittings provide a leakproof method for mounting tubular heating elements through tank walls. Standard are round brass fittings crimped onto the element that are suitable for low pressure water (up to 80 psig) and non-pressure air. A brass hex nut, plated steel washer and gasket are supplied as standard.

Fittings for vacuum or high pressure gas and liquid use are silver brazed or TIG welded. Method will vary by material and application. Fittings in table are most commonly used. Special fittings can be made to meet your application requirements.

Standard fitting location is with threads flush at the end of the element sheath as shown below. For other locations specify distance from end of sheath.

	Do not locate the fitting over th	ie
CAUTION	heated section of the element.	

Specify: Material; Round (Standard) or Hex Flange; Thread Type and Length; Location on Sheath; Crimped, Brazed, or Welded Construction.

Fitting Attachment Method — General Guidelines

These are guidelines only. Consult Tempco if you require assistance in determining the method best suited to your application.

Fittings Crimped: Low pressure water (up to 80 psig) and non-pressure air applications

Fittings Brazed: Non-ferrous alloys (copper) and dissimilar non-weldable metals

Fittings Welded: High pressure liquids and gases, and high temperature applications



Standard Bulkhead Fittings For Tubular Heaters — Round Flanged Standard

Tubular Diameter		Fitting	Flange	"4	ν"	"	B"	**	C"	Thread Size
in	mm	Material	Туре	in	mm	in	mm	in	mm	(UNF)
.260	6.6	Brass	Round	3/4	19	1/2	12.7	5/8	16	1/2-20
.260	6.6	Stn. Stl.	Round	3/4	19	1/2	12.7	5/8	16	1/2-20
.315	8.0	Brass	Round	3/4	19	1/2	12.7	5/8	16	1/2-20
.315	8.0	Stn. Stl.	Round	3/4	19	1/2	12.7	5/8	16	1/2-20
.375	9.5	Brass	Round	3/4	19	1/2	12.7	5/8	16	1/2-20
.375	9.5	Stn. Stl.	Round	3/4	19	1/2	12.7	5/8	16	1/2-20
.430	10.9	Brass	Round or Hex	7/8	22	3/4	19.0	7/8	22	5/8-18
.430	10.9	Stn. Stl.	Round or Hex	7/8	22	3/4	19.0	7/8	22	5/8-18
.430	10.9	Steel	Round	7/8	22	3/4	19.0	7/8	22	5/8-18
.475	12.1	Brass	Round	7/8	22	3/4	19.0	7/8	22	5/8-18
.475	12.1	Stn. Stl.	Round	7/8	22	3/4	19.0	7/8	22	5/8-18
.475	12.1	Steel	Round	7/8	22	3/4	19.0	7/8	22	5/8-18
.475	12.1	Brass	Round	1	25	3/4	19.0	7/8	22	3/4-16
.475	12.1	Stn. Stl.	Round	1	25	3/4	19.0	7/8	22	3/4-16
.625	15.9	Stn. Stl.	Round	1-1/8	29	3/4	19.0	1	25	7/8-14



Note: Optional Larger Thread Sizes and Hex Flanged Bulkhead Fittings are available. Consult Tempco with your requirements.



10610 CONTROL PLACE DALLAS, TEXAS 75238





Tubular Heater Standard Mounting Methods

TYPE MC – Mounting Collar

Plated steel mounting collars are locked in place with a set-screw and serve as an adjustable stop for through-the-wall mounting. Collars are shipped in bulk unless otherwise specified. Mounting collars can be ordered with the heater or purchased separately.



TYPE LR – Locator Washer

Locator washers are permanently attached to the heater sheath by staking/crimping and are used to limit the movement of the heater while allowing for expansion and contraction of the heater sheath. When ordering, specify location from end of sheath.



TYPE MF – Mounting Bracket

Tempco's made-to-order mounting brackets are made from 18 gauge stainless steel for strength and stiffness. It is an economical way to mount the heater in non-pressurizing, non-liquid applications. Unless otherwise specified, the bracket will be located 1/2" from the edge of the heater sheath. OEM quantity brackets are manufactured by Tempco on our own high speed precision N/C Turret Press. The standard method of attaching the tubular element to the bracket is staking or crimping.

The rectangular mounting bracket shown at right is a popular made-to-order design. Specify all dimensions shown when requesting a quote.

Custom brackets of any size, thickness or material can be supplied to meet your requirements.

10610 CONTROL PLACE

DALLAS, TEXAS 75238



SALES@SWHC.COM

SWHC.COM



SWHC)

SOUTHWEST HEATER & CONTROLS



MAIN: 214-340-7500

TOLL FREE: 800-687-2220

Moisture Seals



Tubular Heater Standard Moisture Seals

Magnesium Oxide (MgO) is used as the insulating material in Tempco tubular heaters because of its excellent thermal conductivity and dielectric strength. However, MgO is hygroscopic and can absorb moisture from the atmosphere. This absorption of moisture may be detected when an Insulation Resistance (IR) test is done with a megohumeter prior to energizing the heater circuit. In very humid environments, circuits utilizing a GFI (ground fault interrupter) for safety may experience nuisance tripping when energizing the heater.

The Tempco manufacturing process produces a dry element with an IR of several thousand megohms minimum. However, after shipment and depending on humidity levels and storage time, a heater can absorb moisture and show a decrease in IR. In many cases, depending on the supply voltage and the application, the heater can be safely energized and will dry itself out.

Style SS—Silicone Resin Seal

A brushed-on coating that penetrates the MgO, offering economical moisture protection under humid storage conditions.

Maximum Usable Termination Temperature: 390°F (200°C)

UL Rated Maximum Termination Temperature: 221°F (105°C)

Type V2A: conformal coating Type V2B: silicone oil

Style SER – RTV Seal

RTV (room temperature vulcanizing) silicone rubber adhesive sealant provides a good moisture seal.

UL Rated – Maximum Termination Temperature: Type R: 302°F (150°C) Type R1: 392°F (200°C)

If a heater has absorbed moisture, a safe and effective method of drying it out prior to installation is to bake it in an oven at 300°F (149°C) until an acceptable IR reading is obtained. When possible, removing the terminal hardware will expedite this process. If this method is not practical consult factory for other recommendations.

For applications where moisture absorption would be unacceptable Tempco has several optional element end seals to retard absorption of moisture in the MgO. If a true hermetic seal is required, ceramic to metal end seals (Type H) are available. With any of these seals, the maximum recommended termination temperature in the seal area must not be exceeded.

Style SEH—Epoxy Resin Seal

Epoxy resin provides a moisture resisting barrier.

UL Rated – Maximum Termination Temperature:

Type V: 194°F (90°C) **Type V1:** 266°F (130°C) **Type V4:** 392°F (200°C)



TYPE M—Self Sealing Heat Shrinkable Boot with Lead Wire

This type seal is used primarily for defrost heaters. Temperature range -67 to 300°F (-55 to 149°C). Standard 10" (254 mm) leads; specify longer leads if required.

/	Hea Dian	ater neter	4"	."	"В"		
	in	mm	in	mm	in	mm	
	.260	6.6	2-1/8	54	7/16	11	
	.315	8.0	2 - 1/8	54	7/16	11	
	.430	10.9	2-1/8	54	9/16	14	

TYPE H-Hermetic Seal

Ceramic to metal seals provide an airtight seal for temperatures to 500°F (260°C) in the seal area.

(Heater Diameter in mm		" A "	" mm	"E	" mm	Thread Size
	.260 .315 .430	6.6 8.0 10.9	1-11/16 1-11/16 2-1/8	43 43 54	13/32 13/32 21/32	10 10 17	8-32 10-32 1/4-28
	.475	12.1	2-1/8	54	21/32	17	1/4-28







10610 CONTROL PLACE DALLAS, TEXAS 75238

Field Bend

Minimum R

mm

19.1

25.4

50.8

63.5

63.5

in

3/4

1

2

2 - 1/2

2 - 1/2

Note: Smaller inside bending radius than listed in the table can be factory accomplished. It

requires special forming techniques to prevent

damage to the tubular heater. Consult Tempco

Tubular Element Minimum Bending Radius

Factory Bend

Minimum R

in

3/8

1/2

9/16

3/4

7/8

mm

9.5

12.7

14.3

19.1

22.2

with your requirements.

Element

Diameter

mm

6.6

8.0

9.5

10.9

12.0

in

260

.315

375

.430

.475



Bend Formations

Minimum S

mm

12.7

12.7

15.9

19.1

25.4

in

1/2

1/2

5/8

3/4

1

Tubular Heater Standard Bend Formations

Forming Tubular Elements

The MgO insulation used in tubular heating elements is compacted by reducing the element diameter in a roll reducing mill. The elements are then annealed in a controlled atmosphere furnace to relieve the metal stressing (work hardening) that takes place during the rolling to size reduction of the sheath. Annealing brings the metal back to a soft state, allowing the element to be bent into virtually any configuration. However, since forming also work hardens the metal, some precautions must be observed in order to prevent the sheath from breaking during bending or developing stress cracking marks.



Note: Elements with tight bends and some applications require the bends to be recompacted in special dies to restore the integrity of the insulation density and maintain dielectric strength. Large bends do not need to be recompacted.



Avoid bends within a minimum of 1/2" of the terminal pin and resistance wire junctions unless the bending radius is a minimum 3"(75 mm).







We do custom formations. Contact Tempco with your requirements.















- 15









SWHC SOUTHWEST

10610 CONTROL PLACE DALLAS, TEXAS 75238 MAIN: 214-340-7500 TOLL FREE: 800-687-2220

Bend Formations



Tubular Heater Standard Bend Formations

































FT16

(SWHC)

"J'



10610 CONTROL PLACE DALLAS, TEXAS 75238

MAIN: 214-340-7500 TOLL FREE: 800-687-2220





Tubular Heater Standard Bend Formations

Bend Formations













(SWHC

SOUTHWEST HEATER & CONTROLS







10610 CONTROL PLACE DALLAS, TEXAS 75238 MAIN: 214-340-7500 TOLL FREE: 800-687-2220

Bend Formations



Tubular Heater Standard Bend Formations

- R1

- R1

- R1

"F"





FT31







FT35

(SWHC)







"J" **FT29**

R2

R2



FT32

0 "H" 🖵 Dia. . R2 "K" "J" **FT33**



"H"

√ Dia.

ł





SOUTHWEST HEATER & CONTROLS

10610 CONTROL PLACE DALLAS, TEXAS 75238

MAIN: 214-340-7500 TOLL FREE: 800-687-2220



Hot Runner Manifold Heaters

Tubular Heaters for Hot Runner Manifolds

Construction

Hot Runner Manifold Heaters are made to order using .260", .315" or .375" diameter Incoloy[®] tubular heating elements. Commonly specified terminations include threaded stud or wire leads.

Important Information on Forming

Precise forming of the tubular heater is required for it to seat properly into the milled slot in the manifold. To ensure this fit, we use a physical template as an inspection tool in the forming process to verify bending accuracy.

The template is a reproduction of the milled slot in the form of a plastic or aluminum plate. It can be customer supplied or manufactured by Tempco. Only through the use of a forming template is bending accuracy guaranteed.

When ordering for new applications:

Supply a drawing or forming template if available.

When ordering for replacement:

Supply a sample heater and/or a drawing of the manifold indicating the milled heater slot.



Note: For heaters originally manufactured by Tempco only the Tempco Part Number is required.



Consult Tempco With Your Requirements. We Welcome Your Inquiries.

Heat Transfer Cement

When tubular heating elements are used in a milled slot any air gaps between the element and the plate can cause hot spots on the element. Heat transfer cement is used to fill these air gaps, permitting the heater to run cooler, thus maximizing its life expectancy. Cement is water soluble and can be applied with a putty knife or trowel and can be used in temperatures up to 1250°F (675°C).

> SOUTHWEST HEATER & CONTROLS

Part Number SEA-108-101 (1 Gallon) SEA-108-102 (1 Quart)

SWHC)

Ordering Information

TEMPCO will design and manufacture a Tubular Hot Runner Manifold Heater to meet your requirements.

Please Specify the following:

- Wattage and Voltage
- Diameter
- Heated Length
- □ Unheated Length at each end
- □ Termination Type (see pages 10-4 and 10-5)
- Supply a Drawing or Template



Standard Sizes and Ratings

Tubular Heater Standard (Non-Stock) and Stock Sizes and Ratings



Standard tubular heaters are fully annealed for field or factory bending. They are inventoried with plain pin extensions that allow quick installation of Termination Types T, TM, F1, A, E, SF, SF9, L and L9. Part Numbers listed are for heaters with Type "T" termination. For other terminations a Part Number will be issued at time of order.

Standard (Non-Stock) and Stock Sizes and Ratings with Type T Termination Stock Items Are Shown In RED

Element	Sh Lei	eath nath	He	ated		Part Number	Appro: Net W	kimate /eight
Description	in	mm	in	mm	Watts	240V	lbs	kgs
	39	991	27	686	1000	THE04000	1.0	.5
23 W/in ²	54	1372	42	1067	1500	THE04001	1.1	.5
.475 Dia.	69	1753	57	1448	2000	THE04002	1.3	.6
Incoloy® 840	84	2134	72	1829	2500	THE04003	1.4	.6
12 mm	99	2515	87	2210	3000	THE04004	1.6	.7
(3.6 W/cm ²)	132	3353	120	3048	4175	THE04005	1.7	.8
	157	3988	145	3683	5000	THE04006	1.8	.8
	20	508	15	381	400	THE04007	.2	.1
	25	635	20	508	500	THE04008	.2	.1
	30	762	25	635	600	THE04009	.2	.1
	35	889	30	762	800	THE03384	.3	.1
30 W/in ²	40	1016	35	889	900	THE04010	.3	.1
.260 Dia.	45	1143	40	1016	1000	THE04011	.4	.2
Incoloy® 840	50	1270	45	1143	1200	THE04012	.4	.2
6.6 mm	55	1397	50	1270	1200	THE03383	.4	.2
(4.7 W/cm^2)	60	1524	55	1397	1400	THE03373	.5	.2
	65	1651	60	1524	1600	THE02648	.5	.2
	70	1778	65	1651	1800	THE04013	.6	.3
	75	1905	70	1778	1800	THE04014	.6	.3
	80	2032	/5	1905	2000	THE04015	.6	.3
	15	381	10	254	300	THE04016	.2	.1
	20	508	15	381	400	THE04017	.3	.1
	25	635	20	508	600	THE04018	.3	.1
	30	762	25	635	800	THE04019	.4	.2
00 14//5-2	35	889	30	/62	900	THE03328	<u>د</u> . ا	.2
30 W/In ²	40	1016	35	889	1000	THE04020		.2
.315 Dia.	45	1143	40	1010	1200	THE04021	.0	.3
Incoloy®840	50	12/0	45	1143	1400	THE04022	./	.3
8.0 mm	33	1597	50	12/0	1000	THE04025	./	.5
(4.7 W/cm ²)	60	1524	55	1597	1800		0.	.4
. ,	03	1031	60	1524	2000	ТПЕ04024 ТПЕ03280	.9	.4
	75	1005	70	1778	2000	THE04025	1.0	.5
	80	2032	70	1005	2400	THE04025	1.0	.5
	90	2052	85	2150	2400	THE04020	1.1	.5
	100	2200	05	2159	3000	THE04027	1.2	6
	100	2504	95	2413	5000	1111104020	1.5	.0

SWHC SOUTHWEST



Standard Sizes and Ratings

Tubular Heater Standard (Non-Stock) and Stock Sizes and Ratings

Standard (Non-Stock) and Stock Sizes and Ratings with Type T Termination Stock Items Are Shown In RED

Element	She Len	ath gth	Hea Len	ited gth	Watte	Part Number 240V	Appro Net W	ximate /eight
Description	15	201	10	25.4	400	ZHUV	2	1
	15	500	10	204	400	THE04029	.3	.1
	20	508	15	381	600	THE04030	.)	.2
	25	035	20	508	800	THE04031	.0	.3
	30	/62	25	035	1000	THE04032	./	.3
	35	889	30	/62	1200	THE04033	.8	.4
	40	1010	35	889	1400	THE04034	.9	.4
00 14//:2	45	1143	40	1010	1000	THE04035	1.0	.ว
30 W/In-	50	12/0	45	1143	1800	THE04036	1.1	
.430 Dia.	22	1397	50	12/0	2000	THE03415	1.5	.0
Incoloy®840	60	1524	22	1397	2200	THE03376	1.4	.6
10.9 mm	65	1651	60	1524	2400	THE04037	1.5	./
(4.7 W/cm^2)	70	1778	65	1651	2600	THE04038	1.6	./
	75	1905	70	1778	2800	THE04039	1.7	.8
	80	2032	75	1905	3000	THE04040	1.8	.8
	90	2286	85	2159	3500	THE04041	2.0	.9
	100	2540	95	2413	4000	THE03593	2.3	1.0
	110	2794	105	2667	4500	THE03067	2.5	1.1
	120	3048	115	2921	5000	THE04042	2.7	1.2
	21%	535	16'%	427	800	THE04043	.4	.2
	27%	689	22%	581	1100	THE04044	.5	.2
	32%	816	27%	708	1300	THE04045	.6	.3
40 W/in ²	42%	1089	38%	981	1800	THE04046	.8	.4
.375 Dia.	571/2	1461	531/4	1353	2500	THE04047	1.1	.5
Incoloy®840	69 ¹ / ₄	1759	65	1651	3000	THE04048	1.3	.6
9.5 mm	811/4	2064	77	1956	3600	THE04049	1.5	.7
(6.2 W/cm^2)	109¼	2775	105	2667	4000	THE04050	2.1	1.0
	134½	3416	127¾	3245	5000	THE04051	2.5	1.1
	153%	3896	145%	3705	5500	THE04052	2.9	1.3
	179¼	4553	171¼	4350	6500	THE04053	3.4	1.5
	23	584	14	356	1000	THE04054	.6	.3
	30	762	21	533	1500	THE04055	.9	.4
48 W/in ²	39	991	27	686	2000	THE04056	1.1	.5
.475 Dia.	44	1118	35	889	2500	THE04057	1.3	.6
Incoloy® 840	54	1372	42	1067	3000	THE04058	1.6	.7
12 mm	69	1753	57	1448	4000	THE04059	2.0	.9
(7.4 W/cm^2)	84	2134	72	1829	5000	THE04060	2.2	1.0
	99	2515	87	2210	6000	THE04061	2.8	1.3
	149	3785	133	3378	9720	THE04062	4.0	1.8 /

Ordering Information

Catalog Heaters

Part Numbers in **RED** are in stock for immediate delivery with Type T termination.

Termination Types TM, F1, A, E, SF, SF9, L, and L9 can be applied to stock heaters. For these terminations the Heater Part Number will be issued at time of order.

Non-Stock Part Numbers are standard designs that are available straight in 2 weeks and formed in 4 weeks.

SWHC)

SOUTHWEST HEATER & CONTROLS

Custom Engineered/Manufactured Heaters

MAIN: 214-340-7500

TOLL FREE: 800-687-2220

An electric heater can be very application specific; for sizes and ratings not listed, **TEMPCO** will design and manufacture a tubular heater to meet your requirements. *Standard lead time is 4 weeks.*

Please Specify the following:

- □ Type of Application
- □ Wattage and Voltage
- Diameter
- Heated Length

10610 CONTROL PLACE

DALLAS, TEXAS 75238

- Unheated Length at Each End
- Sheath Material
- Termination Type
- □ Type of Mounting, if Required
- □ Type of Moisture Seal, if Required

SALES@SWHC.COM

SWHC.COM

Bending Configuration (supply Drawing and/or Sample)

Finned Tubular Heaters



Finned Tubular Heaters

Tempco finned tubular heaters provide rapid heat transfer for natural convection or forced air space heating in industrial process air heating systems. Finned tubular heaters start out as a standard tubular heater with the fins being attached on a custom built finning machine.

Standard Sizes and Materials

304 Stainless Steel .475" diameter tubular element with 1.12" diameter fin. Copper Clad Steel .430" diameter tubular element with 1.31" diameter fin. Other materials available for the element sheath and fins include Monel, 316 Stainless Steel and Steel with high temperature aluminum paint.

Specifications

Diameter: .315", .430", .475" Material: 304SS, 316SS, Steel Copper Clad, Monel, Steel Min. Sheath Length: 11"

Max. Sheath Length: 256"

Fin Diameter: 1.31", 1.14", 1.12", 0.84' Terminations: All Tubular Heater Max. Volts: 480 Vac Max. Amperage: 40 Amp



Shown with optional mounting flange at end of sheath *C D A E WI*" Bend Formation

Shown with optional

bulkhead fittings



"U2" Bend Formation with Bulkhead Fittings



Single-Ended Tubular Heaters

The Single-Ended Tubular Heater manufacturing and design process is similar to that of the double ended tubular heater. Single ended tubular heaters are made strictly per customer request, providing an economical alternative to cartridge heater applications, simplifying wiring and installation for applications requiring localized heat. Flanges, bulkhead and NPT fittings can be attached to the sheath for mounting or immersion heating applications.

> **SOUTHWEST** HEATER & CONTROLS

SWHC)

Specifications

Diameters: .315" .430" .475" .490", .625" Material: 304SS, 316SS, Monel, Steel Min. Sheath Length: 11" Max. Sheath Length: 96" Termination: Lead Wires Max. Volts: 277 Vac Max. Amperage: 30 Amp



10610 CONTROL PLACE DALLAS, TEXAS 75238



Custom Elements

The Tubular Heater — The Most Customizable Electric Heating Element





Type ART Tubular Radiant Heater Arrays



Tempco can design and manufacture a custom tubular heater array for applications requiring infrared heat. Call for details.

Other type infrared heaters can be found in Section 7.

10610 CONTROL PLACE DALLAS, TEXAS 75238



Quote Request

Tubular Heater, Finned Tubular Heater and Single Ended Tubular Heater Quote Request

Made-To-Order Quote Request Form — Copy and Fax (214-221-5544) us your requirements.

	Customer Drawing
Name Company Address	Moisture Seals Moisture Seals: None Optional: Style SS: Type V2A Type V2B Style SER: Type R Type R1 Style SEH: Type V
Phone Fax Email Application Information	Type W Type H Describe if Custom
Describe in Detail	Optional Sheath Surface Treatments (For Incoloy® and Stainless Steel Sheath Elements only) Passivation Bright Annealing Electro-Polishing Other
Specifications Type: Standard Finned Single Ended Sheath Material Diameter Fin Dia. if applies Overall Sheath Length Cold Section: 1st end 2nd end Watts Volts UL cUL CSA CE Termination Type (Type T - standard screw) Standard Options Mounting: MC LR Location: MF	Bends and Shapes Standard Formation Code Specify Letters and Corresponding Dimensions Below:
Bulkhead Fittings Material Flange Type Describe if Custom	

SOUTHWEST HEATER & CONTROLS

(SWHC)