



SOUTHWEST
HEATER & CONTROLS

UniVEST®

INSULATION JACKETS

UniVest® Insulation Jackets are cost-effective thermal insulation systems that help improve facilities in a variety of ways by minimizing costs and establishing greater operational stability. UniVest® Insulation Jackets are removable/reusable for easy installation, easy installation, removal and reinstallation. This makes access to equipment and applications simple. These collective advantages allow you to save on energy costs while reducing your organization's overall carbon footprint.



- » UniVest® Insulation Jackets create a **SAFER WORKING ENVIRONMENT** for your employees and increase your equipment lifespan by protecting key components from high temperatures.
- » UniVest® Insulation Jackets are made with **STANDARD, READILY AVAILABLE, OFF-THE-SHELF COMPONENTS** that can be easily configured for any custom requirement.
- » UniVest® Insulation Jackets are **COMPLIANT WITH OSHA SAFE-TOUCH STANDARDS** for exposed heated surfaces to avoid the potential for an injury.
- » UniVest® Insulation Jackets deliver an **INCREASED CONTROL OF PROCESS TEMPERATURES** to enhance production capacity by reducing the amount of energy needed to keep equipment running at high temperatures.

UniVest® Insulation Jackets Are Constructed in Three Layers:

1. The primary inner layer (hot face) is made of Silica cloth (1800°F).
2. The middle layer is made of high-density ceramic fiber (2000°F).
3. The outer covering layer (cold face) is made of PTFE-coated fiberglass cloth (550°F).





Insulation Systems

» **Using UniVest® Insulation Systems IN ...**

The market sectors with attractiveness for waste heat recovery include:

- Plastic Processing
- Gas Pipeline Compressor Stations
- Oil and Gas Extraction
- Petroleum and Coal Products Manufacturing
- Cement Plants
- Chemical Plants
- Ethanol Plants
- Pulp and Paper Mills
- Steel and Metal Manufacturing and Refineries
- Glass Manufacturing and Melting
- Incinerators
- Brick Manufacturing
- Artificial Synthetic Fibers, Rubber and Resin Manufacturing

» **Using UniVest® Insulation Systems ON ...**

Some of the potential sources of waste heat include:

- Process Heaters
- Furnaces, Ovens or Kilns
- Conductive, Convective and Radiative Losses From Hot Equipment Surfaces
- Conductive, Convective and Radiative Losses From Heated Product Streams
- Natural Gas Pipeline Compressor
- Other Natural Gas- or Oil-Fired Turbines
- Reciprocating Engine Exhaust
- Furnaces, Air Compressors and Internal Combustion Engines



SOUTHWEST
HEATER & CONTROLS

UNIVEST[®]

INSULATION JACKETS

UVST PART NUMBER	PRODUCT DESCRIPTION
UVST1302	UniVest 13Lx02W Diameter 0"-2"
UVST1304	UniVest 13Lx04W Diameter 0"-2"
UVST1305	UniVest 13Lx05W Diameter 0"-2"
UVST1306	UniVest 13Lx06W Diameter 0"-2"
UVST1308	UniVest 13Lx08W Diameter 0"-2"
UVST1310	UniVest 13Lx10W Diameter 0"-2"
UVST1312	UniVest 13Lx12W Diameter 0"-2"
UVST1314	UniVest 13Lx14W Diameter 0"-2"
UVST1316	UniVest 13Lx16W Diameter 0"-2"
UVST1902	UniVest 19Lx02W Diameter 2"-4"
UVST1904	UniVest 19Lx04W Diameter 2"-4"
UVST1905	UniVest 19Lx05W Diameter 2"-4"
UVST1906	UniVest 19Lx06W Diameter 2"-4"
UVST1908	UniVest 19Lx08W Diameter 2"-4"
UVST1910	UniVest 19Lx10W Diameter 2"-4"
UVST1912	UniVest 19Lx12W Diameter 2"-4"
UVST1914	UniVest 19Lx14W Diameter 2"-4"
UVST1916	UniVest 19Lx16W Diameter 2"-4"
UVST2502	UniVest 25Lx02W Diameter 4"-6"
UVST2504	UniVest 25Lx04W Diameter 4"-6"
UVST2505	UniVest 25Lx05W Diameter 4"-6"
UVST2506	UniVest 25Lx06W Diameter 4"-6"
UVST2508	UniVest 25Lx08W Diameter 4"-6"
UVST2510	UniVest 25Lx10W Diameter 4"-6"
UVST2512	UniVest 25Lx12W Diameter 4"-6"
UVST2514	UniVest 25Lx14W Diameter 4"-6"
UVST2516	UniVest 25Lx16W Diameter 4"-6"
UVST3102	UniVest 31Lx02W Diameter 6"-8"
UVST3104	UniVest 31Lx04W Diameter 6"-8"
UVST3105	UniVest 31Lx05W Diameter 6"-8"
UVST3106	UniVest 31Lx06W Diameter 6"-8"



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM



SOUTHWEST
HEATER & CONTROLS

UNIVEST[®]

INSULATION JACKETS

UVST PART NUMBER	PRODUCT DESCRIPTION
UVST3108	UniVest 31Lx08W Diameter 6"-8"
UVST3110	UniVest 31Lx10W Diameter 6"-8"
UVST3112	UniVest 31Lx12W Diameter 6"-8"
UVST3114	UniVest 31Lx14W Diameter 6"-8"
UVST3116	UniVest 31Lx16W Diameter 6"-8"
UVST3802	UniVest 38Lx02W Diameter 8"-10"
UVST3804	UniVest 38Lx04W Diameter 8"-10"
UVST3805	UniVest 38Lx05W Diameter 8"-10"
UVST3806	UniVest 38Lx06W Diameter 8"-10"
UVST3808	UniVest 38Lx08W Diameter 8"-10"
UVST3810	UniVest 38Lx10W Diameter 8"-10"
UVST3812	UniVest 38Lx12W Diameter 8"-10"
UVST3814	UniVest 38Lx14W Diameter 8"-10"
UVST3816	UniVest 38Lx16W Diameter 8"-10"
UVST4302	UniVest 43Lx02W Diameter 10"-12"
UVST4304	UniVest 43Lx04W Diameter 10"-12"
UVST4305	UniVest 43Lx05W Diameter 10"-12"
UVST4306	UniVest 43Lx06W Diameter 10"-12"
UVST4308	UniVest 43Lx08W Diameter 10"-12"
UVST4310	UniVest 43Lx10W Diameter 10"-12"
UVST4312	UniVest 43Lx12W Diameter 10"-12"
UVST4314	UniVest 43Lx14W Diameter 10"-12"
UVST4316	UniVest 43Lx16W Diameter 10"-12"
UVST5002	UniVest 50Lx02W Diameter 12"-14"
UVST5004	UniVest 50Lx04W Diameter 12"-14"
UVST5005	UniVest 50Lx05W Diameter 12"-14"
UVST5006	UniVest 50Lx06W Diameter 12"-14"
UVST5008	UniVest 50Lx08W Diameter 12"-14"
UVST5010	UniVest 50Lx10W Diameter 12"-14"
UVST5012	UniVest 50Lx12W Diameter 12"-14"
UVST5014	UniVest 50Lx14W Diameter 12"-14"
UVST5016	UniVest 50Lx16W Diameter 12"-14"
UVST5602	UniVest 56Lx02W Diameter 14"-16"



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM



SOUTHWEST
HEATER & CONTROLS

UNIVEST®

INSULATION JACKETS

UVST PART NUMBER	PRODUCT DESCRIPTION
UVST5604	UniVest 56Lx04W Diameter 14"-16"
UVST5605	UniVest 56Lx05W Diameter 14"-16"
UVST5606	UniVest 56Lx06W Diameter 14"-16"
UVST5608	UniVest 56Lx08W Diameter 14"-16"
UVST5610	UniVest 56Lx10W Diameter 14"-16"
UVST5612	UniVest 56Lx12W Diameter 14"-16"
UVST5614	UniVest 56Lx14W Diameter 14"-16"
UVST5616	UniVest 56Lx16W Diameter 14"-16"
UVST6302	UniVest 63Lx02W Diameter 16"-18"
UVST6304	UniVest 63Lx04W Diameter 16"-18"
UVST6305	UniVest 63Lx05W Diameter 16"-18"
UVST6306	UniVest 63Lx06W Diameter 16"-18"
UVST6308	UniVest 63Lx08W Diameter 16"-18"
UVST6310	UniVest 63Lx10W Diameter 16"-18"
UVST6312	UniVest 68Lx12W Diameter 18"-20"
UVST6314	UniVest 63Lx14W Diameter 16"-18"
UVST6316	UniVest 63Lx16W Diameter 16"-18"
UVST6802	UniVest 68Lx02W Diameter 18"-20"
UVST6804	UniVest 68Lx04W Diameter 18"-20"
UVST6805	UniVest 68Lx05W Diameter 18"-20"
UVST6806	UniVest 68Lx06W Diameter 18"-20"
UVST6808	UniVest 68Lx08W Diameter 18"-20"
UVST6810	UniVest 68Lx10W Diameter 18"-20"
UVST6812	UniVest 68Lx12W Diameter 18"-20"
UVST6814	UniVest 68Lx14W Diameter 18"-20"
UVST6816	UniVest 68Lx16W Diameter 18"-20"



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM



SOUTHWEST
HEATER & CONTROLS

UNIVEST[®]

THROW BLANKETS, STRAPS & BUCKLES, DROOL SHIELDS

TB PART NUMBER	PRODUCT DESCRIPTION
TB1212	Throw Blanket 12Lx12W
TB1224	Throw Blanket 12Lx24W
TB1236	Throw Blanket 12Lx36W
TB1248	Throw Blanket 12Lx48W
TB2424	Throw Blanket 24Lx24W
TB2436	Throw Blanket 24Lx36W
TB2448	Throw Blanket 24Lx48W
TB3636	Throw Blanket 36Lx36W
TB3648	Throw Blanket 36Lx48W
TB4848	Throw Blanket 48Lx48W

UNIVEST[®] THROW BLANKETS WITH MAGNETS

TBM PART NUMBER	PRODUCT DESCRIPTION
TB1212M	Throw Blanket with Magnets 12Lx12W
TB1224M	Throw Blanket with Magnets 12Lx24W
TB1236M	Throw Blanket with Magnets 12Lx36W
TB1248M	Throw Blanket with Magnets 12Lx48W
TB2424M	Throw Blanket with Magnets 24Lx24W
TB2436M	Throw Blanket with Magnets 24Lx36W
TB2448M	Throw Blanket with Magnets 24Lx48W
TB3636M	Throw Blanket with Magnets 36Lx36W
TB3648M	Throw Blanket with Magnets 36Lx48W
TB4848M	Throw Blanket with Magnets 48Lx48W

STRAPS & BUCKLES

S PART NUMBER	PRODUCT DESCRIPTION
S24	Straps & Buckles 24Lx1W
S36	Straps & Buckles 36Lx1W
S48	Straps & Buckles 48Lx1W

DROOLSHIELD[®]

DS PART NUMBER	PRODUCT DESCRIPTION
DroolShield	1"-2", 2"-3", 3"-4" Diameter Hub; Diameter 8" & 10" Shield



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM



SOUTHWEST
HEATER & CONTROLS

UNIVEST[®]

MAGNETS

M PART NUMBER	PRODUCT DESCRIPTION
FAS-14-6	Magnets (6-Pack)



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM



UNIVEST® INSULATION JACKETS PRODUCT SPECS

Each UniVest® Insulation Jacket part number has its own individual **Length, Width, Diameter Range, Weight and Circumference Range** dimensions. All additional product information stays the same. Use the table below to help you identify the Length (A), Width (B), Diameter Range (C), Weight (D) and Circumference Range (E) for each individual UniVest® part number. Fill in the designated sections **(A, B, C, D and E)** to get your product spec descriptions for each UniVest® part number.

PRODUCT DESCRIPTION

Item	High Temperature Insulation Wrap	Fastening	Strap/Buckle System
Length	(A)	Approx "R" Factor	.48
Width	(B)	Max Continuous Temp	900°F / 483°C
Thickness	1in / 25mm	Color	Green
Insulation Material	Ceramic Fiberglass	Weight	(D)
Jacket Material	PTFE Coated Fiberglass Cloth	Fits	Universal
Diameter Range	(C)	Circumference Range	(E)

FOR EXAMPLE:

UVST1302

Item	High Temperature Insulation Wrap	Fastening	Strap/Buckle System
Length	13in / 330mm	Approx "R" Factor	.48
Width	2in / 51mm	Max Continuous Temp	900°F / 483°C
Thickness	1in / 25mm	Color	Green
Insulation Material	Ceramic Fiberglass	Weight	0.48lbs / 0.22kg
Jacket Material	PTFE Coated Fiberglass Cloth	Fits	Universal
Diameter Range	0in-2in / 0mm-51mm	Circumference Range	0in-6in / 0mm-153mm



SOUTHWEST
HEATER & CONTROLS

UNIVEST[®]

INSULATION JACKETS

PART #	(A)	(B)	(C)	(D)	(E)
UVST1302	13in / 330mm	2in / 51mm	0in-2in / 0mm-51mm	0.48lbs / 0.22kg	0in-6in / 0mm-153mm
UVST1304	13in / 330mm	4in / 102mm	0in-2in / 0mm-51mm	0.68lbs / 0.31kg	0in-6in / 0mm-153mm
UVST1305	13in / 330mm	5in / 127mm	0in-2in / 0mm-51mm	0.70lbs / 0.32kg	0in-6in / 0mm-153mm
UVST1306	13in / 330mm	6in / 152mm	0in-2in / 0mm-51mm	0.97lbs / 0.44kg	0in-6in / 0mm-153mm
UVST1308	13in / 330mm	8in / 203mm	0in-2in / 0mm-51mm	1.07lbs / 0.49kg	0in-6in / 0mm-153mm
UVST1310	13in / 330mm	10in / 254mm	0in-2in / 0mm-51mm	1.36lbs / 0.62kg	0in-6in / 0mm-153mm
UVST1312	13in / 330mm	12in / 305mm	0in-2in / 0mm-51mm	1.77lbs / 0.80kg	0in-6in / 0mm-153mm
UVST1314	13in / 330mm	14in / 356mm	0in-2in / 0mm-51mm	1.89lbs / 0.86kg	0in-6in / 0mm-153mm
UVST1316	13in / 330mm	16in / 406mm	0in-2in / 0mm-51mm	2.18lbs / 0.99kg	0in-6in / 0mm-153mm
UVST1902	19in / 487mm	2in / 51mm	2in-4in / 51mm-102mm	0.62lbs / 0.28kg	6in-13in / 153mm-330mm
UVST1904	19in / 487mm	4in / 102mm	2in-4in / 51mm-102mm	0.86lbs / 0.39kg	6in-13in / 153mm-330mm
UVST1905	19in / 487mm	5in / 127mm	2in-4in / 51mm-102mm	0.97lbs / 0.44kg	6in-13in / 153mm-330mm
UVST1906	19in / 487mm	6in / 152mm	2in-4in / 51mm-102mm	1.30lbs / 0.59kg	6in-13in / 153mm-330mm
UVST1908	19in / 487mm	8in / 203mm	2in-4in / 51mm-102mm	1.58lbs / 0.72kg	6in-13in / 153mm-330mm
UVST1910	19in / 487mm	10in / 254mm	2in-4in / 51mm-102mm	1.96lbs / 0.89kg	6in-13in / 153mm-330mm
UVST1912	19in / 487mm	12in / 305mm	2in-4in / 51mm-102mm	2.13lbs / 0.97kg	6in-13in / 153mm-330mm
UVST1914	19in / 487mm	14in / 356mm	2in-4in / 51mm-102mm	2.57lbs / 1.17kg	6in-13in / 153mm-330mm
UVST1916	19in / 487mm	16in / 406mm	2in-4in / 51mm-102mm	2.90lbs / 1.32kg	6in-13in / 153mm-330mm
UVST2502	25in / 635mm	2in / 51mm	4in-6in / 102mm-152mm	0.75lbs / 0.34kg	13in-19in / 330mm-483mm



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM



SOUTHWEST
HEATER & CONTROLS

UNIVEST[®]

UNIVEST[®] - INSULATION JACKETS

PART #	(A)	(B)	(C)	(D)	(E)
UVST2504	25in / 635mm	4in / 102mm	4in-6in / 102mm-152mm	1.13lbs / 0.51kg	13in-19in / 330mm-483mm
UVST2505	25in / 635mm	5in / 127mm	4in-6in / 102mm-152mm	1.28lbs / 0.58kg	13in-19in / 330mm-483mm
UVST2506	25in / 635mm	6in / 152mm	4in-6in / 102mm-152mm	1.66lbs / 0.75kg	13in-19in / 330mm-483mm
UVST2508	25in / 635mm	8in / 203mm	4in-6in / 102mm-152mm	1.84lbs / 0.83kg	13in-19in / 330mm-483mm
UVST2510	25in / 635mm	10in / 254mm	4in-6in / 102mm-152mm	2.49lbs / 1.13kg	13in-19in / 330mm-483mm
UVST2512	25in / 635mm	12in / 305mm	4in-6in / 102mm-152mm	2.77lbs / 1.26kg	13in-19in / 330mm-483mm
UVST2514	25in / 635mm	14in / 356mm	4in-6in / 102mm-152mm	3.14lbs / 1.42kg	13in-19in / 330mm-483mm
UVST2516	25in / 635mm	16in / 406mm	4in-6in / 102mm-152mm	3.17lbs / 1.44kg	13in-19in / 330mm-483mm
UVST3102	31in / 787mm	2in / 51mm	6in-8in / 152mm-203mm	0.88lbs / 0.40kg	19in-25in / 483mm-635mm
UVST3104	31in / 787mm	4in / 102mm	6in-8in / 152mm-203mm	1.27lbs / 0.58kg	19in-25in / 483mm-635mm
UVST3105	31in / 787mm	5in / 127mm	6in-8in / 152mm-203mm	1.32lbs / 0.60kg	19in-25in / 483mm-635mm
UVST3106	31in / 787mm	6in / 152mm	6in-8in / 152mm-203mm	1.87lbs / 0.85kg	19in-25in / 483mm-635mm
UVST3108	31in / 787mm	8in / 203mm	6in-8in / 152mm-203mm	2.44lbs / 1.11kg	19in-25in / 483mm-635mm
UVST3110	31in / 787mm	10in / 254mm	6in-8in / 152mm-203mm	2.92lbs / 1.32kg	19in-25in / 483mm-635mm
UVST3112	31in / 787mm	12in / 305mm	6in-8in / 152mm-203mm	3.33lbs / 1.51kg	19in-25in / 483mm-635mm
UVST3114	31in / 787mm	14in / 356mm	6in-8in / 152mm-203mm	3.58lbs / 1.62kg	19in-25in / 483mm-635mm
UVST3116	31in / 787mm	16in / 406mm	6in-8in / 152mm-203mm	4.23lbs / 1.92kg	19in-25in / 483mm-635mm
UVST3802	38in / 965mm	2in / 51mm	8in-10in / 203mm-254mm	1.03lbs / 0.47kg	25in-31in / 635mm-787mm
UVST3804	38in / 965mm	4in / 102mm	8in-10in / 203mm-254mm	1.43lbs / 0.65kg	25in-31in / 635mm-787mm



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM



SOUTHWEST
HEATER & CONTROLS

UNIVEST[®]

INSULATION JACKETS

PART #	(A)	(B)	(C)	(D)	(E)
UVST3805	38in / 965mm	5in / 127mm	8in-10in / 203mm-254mm	1.66lbs / 0.75kg	25in-31in / 635mm-787mm
UVST3806	38in / 965mm	6in / 152mm	8in-10in / 203mm-254mm	2.25lbs / 1.02kg	25in-31in / 635mm-787mm
UVST3808	38in / 965mm	8in / 203mm	8in-10in / 203mm-254mm	2.75lbs / 1.25kg	25in-31in / 635mm-787mm
UVST3810	38in / 965mm	10in / 254mm	8in-10in / 203mm-254mm	3.17lbs / 1.44kg	25in-31in / 635mm-787mm
UVST3812	38in / 965mm	12in / 305mm	8in-10in / 203mm-254mm	3.93lbs / 1.78kg	25in-31in / 635mm-787mm
UVST3814	38in / 965mm	14in / 356mm	8in-10in / 203mm-254mm	4.00lbs / 1.81kg	25in-31in / 635mm-787mm
UVST3816	38in / 965mm	16in / 406mm	8in-10in / 203mm-254mm	5.39lbs / 2.44kg	25in-31in / 635mm-787mm
UVST4302	43in / 1092mm	2in / 51mm	10in-12in / 254mm-305mm	1.22lbs / 0.55kg	31in-38in / 787mm-965mm
UVST4304	43in / 1092mm	4in / 102mm	10in-12in / 254mm-305mm	1.87lbs / 0.85kg	31in-38in / 787mm-965mm
UVST4305	43in / 1092mm	5in / 127mm	10in-12in / 254mm-305mm	2.02lbs / 0.92kg	31in-38in / 787mm-965mm
UVST4306	43in / 1092mm	6in / 152mm	10in-12in / 254mm-305mm	2.44lbs / 1.11kg	31in-38in / 787mm-965mm
UVST4308	43in / 1092mm	8in / 203mm	10in-12in / 254mm-305mm	3.20lbs / 1.45kg	31in-38in / 787mm-965mm
UVST4310	43in / 1092mm	10in / 254mm	10in-12in / 254mm-305mm	4.21lbs / 1.91kg	31in-38in / 787mm-965mm
UVST4312	43in / 1092mm	12in / 305mm	10in-12in / 254mm-305mm	4.28lbs / 1.94kg	31in-38in / 787mm-965mm
UVST4314	43in / 1092mm	14in / 356mm	10in-12in / 254mm-305mm	5.00lbs / 2.27kg	31in-38in / 787mm-965mm
UVST4316	43in / 1092mm	16in / 406mm	10in-12in / 254mm-305mm	5.87lbs / 2.66kg	31in-38in / 787mm-965mm
UVST5002	50in / 1270mm	2in / 51mm	12in-14in / 305mm-456mm	1.20lbs / 0.54kg	38in-44in / 965mm-1118mm
UVST5004	50in / 1270mm	4in / 102mm	12in-14in / 305mm-456mm	1.95lbs / 0.88kg	38in-44in / 965mm-1118mm
UVST5005	50in / 1270mm	5in / 127mm	12in-14in / 305mm-456mm	2.33lbs / 1.06kg	38in-44in / 965mm-1118mm



SOUTHWEST
HEATER & CONTROLS

UNIVEST[®]

INSULATION JACKETS

PART #	(A)	(B)	(C)	(D)	(E)
UVST5006	50in / 1270mm	6in / 152mm	12in-14in / 305mm-456mm	2.85lbs / 1.29kg	38in-44in / 965mm-1118mm
UVST5008	50in / 1270mm	8in / 203mm	12in-14in / 305mm-456mm	3.63lbs / 1.65kg	38in-44in / 965mm-1118mm
UVST5010	50in / 1270mm	10in / 254mm	12in-14in / 305mm-456mm	4.79lbs / 2.17kg	38in-44in / 965mm-1118mm
UVST5012	50in / 1270mm	12in / 305mm	12in-14in / 305mm-456mm	5.16lbs / 2.34kg	38in-44in / 965mm-1118mm
UVST5014	50in / 1270mm	14in / 356mm	12in-14in / 305mm-456mm	5.67lbs / 2.57kg	38in-44in / 965mm-1118mm
UVST5016	50in / 1270mm	16in / 406mm	12in-14in / 305mm-456mm	6.69lbs / 3.03kg	38in-44in / 965mm-1118mm
UVST5602	56in / 1422mm	2in / 51mm	14in-16in / 356mm-406mm	1.56lbs / 0.71kg	44in-50in / 1118mm-1270mm
UVST5604	56in / 1422mm	4in / 102mm	14in-16in / 356mm-406mm	2.14lbs / 0.97kg	44in-50in / 1118mm-1270mm
UVST5605	56in / 1422mm	5in / 127mm	14in-16in / 356mm-406mm	2.73lbs / 1.24kg	44in-50in / 1118mm-1270mm
UVST5606	56in / 1422mm	6in / 152mm	14in-16in / 356mm-406mm	3.22lbs / 1.46kg	44in-50in / 1118mm-1270mm
UVST5608	56in / 1422mm	8in / 203mm	14in-16in / 356mm-406mm	4.06lbs / 1.84kg	44in-50in / 1118mm-1270mm
UVST5610	56in / 1422mm	10in / 254mm	14in-16in / 356mm-406mm	5.07lbs / 2.30kg	44in-50in / 1118mm-1270mm
UVST5612	56in / 1422mm	12in / 305mm	14in-16in / 356mm-406mm	5.45lbs / 2.47kg	44in-50in / 1118mm-1270mm
UVST5614	56in / 1422mm	14in / 356mm	14in-16in / 356mm-406mm	6.33lbs / 2.87kg	44in-50in / 1118mm-1270mm
UVST5616	56in / 1422mm	16in / 406mm	14in-16in / 356mm-406mm	6.77lbs / 3.07kg	44in-50in / 1118mm-1270mm
UVST6302	63in / 1600mm	2in / 51mm	16in-18in / 406mm-457mm	1.69lbs / 0.77kg	50in-57in / 1270mm-1448mm
UVST6304	63in / 1600mm	4in / 102mm	16in-18in / 406mm-457mm	2.46lbs / 1.12kg	50in-57in / 1270mm-1448mm
UVST6305	63in / 1600mm	5in / 127mm	16in-18in / 406mm-457mm	3.10lbs / 1.41kg	50in-57in / 1270mm-1448mm
UVST6306	63in / 1600mm	6in / 152mm	16in-18in / 406mm-457mm	3.66lbs / 1.66kg	50in-57in / 1270mm-1448mm



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM



SOUTHWEST
HEATER & CONTROLS

UNIVEST®

INSULATION JACKETS

PART #	(A)	(B)	(C)	(D)	(E)
UVST6308	63in / 1600mm	8in / 203mm	16in-18in / 406mm-457mm	4.27lbs / 1.94kg	50in-57in / 1270mm-1448mm
UVST6310	63in / 1600mm	10in / 254mm	16in-18in / 406mm-457mm	5.14lbs / 2.33kg	50in-57in / 1270mm-1448mm
UVST6312	63in / 1600mm	12in / 305mm	16in-18in / 406mm-457mm	6.78lbs / 3.08kg	50in-57in / 1270mm-1448mm
UVST6314	63in / 1600mm	14in / 356mm	16in-18in / 406mm-457mm	7.50lbs / 3.40kg	50in-57in / 1270mm-1448mm
UVST6316	63in / 1600mm	16in / 406mm	16in-18in / 406mm-457mm	8.12lbs / 3.68kg	50in-57in / 1270mm-1448mm
UVST6802	68in / 1727mm	2in / 51mm	18in-20in / 457mm-508mm	1.78lbs / 0.81kg	57in-63in / 1448mm-1600mm
UVST6804	68in / 1727mm	4in / 102mm	18in-20in / 457mm-508mm	2.58lbs / 1.17kg	57in-63in / 1448mm-1600mm
UVST6805	68in / 1727mm	5in / 127mm	18in-20in / 457mm-508mm	3.26lbs / 1.48kg	57in-63in / 1448mm-1600mm
UVST6806	68in / 1727mm	6in / 152mm	18in-20in / 457mm-508mm	3.93lbs / 1.78kg	57in-63in / 1448mm-1600mm
UVST6808	68in / 1727mm	8in / 203mm	18in-20in / 457mm-508mm	4.73lbs / 2.15kg	57in-63in / 1448mm-1600mm
UVST6810	68in / 1727mm	10in / 254mm	18in-20in / 457mm-508mm	5.94lbs / 2.69kg	57in-63in / 1448mm-1600mm
UVST6812	68in / 1727mm	12in / 305mm	18in-20in / 457mm-508mm	6.48lbs / 2.94kg	57in-63in / 1448mm-1600mm
UVST6814	68in / 1727mm	14in / 356mm	18in-20in / 457mm-508mm	7.80lbs / 3.54kg	57in-63in / 1448mm-1600mm
UVST6816	68in / 1727mm	16in / 406mm	18in-20in / 457mm-508mm	8.12lbs / 3.68kg	57in-63in / 1448mm-1600mm



SOUTHWEST
HEATER & CONTROLS

10610 CONTROL PLACE
DALLAS, TEXAS 75238

MAIN: 214-340-7500
TOLL FREE: 800-687-2220

SALES@SWHC.COM
SWHC.COM

UNIVEST®-THROW BLANKET PRODUCT SPECS

Each UniVest® Throw Blanket part number has its own individual **Length**, **Width** and **Weight** dimensions. All additional product information stays the same. Use the table below to help you indentify the **Length (A)**, **Width (B)** and **Weight (C)** measurements for each individual UniVest® Throw Blanket part number. Fill in the designated sections (**A, B and C**) to get your product spec descriptions for each UniVest® Throw Blanket part number.

PRODUCT DESCRIPTION

Item	High Temperature Insulation Wrap	Fastening	Strap/Buckle System
Length	(A)	Approx "R" Factor	.48
Width	(B)	Max Temp	900°F/ 483°C
Thickness	1in/ 25mm	Color	Green
Insulation Material	Ceramic Fiberglass	Weight	(C)
Jacket Material	PTFE Coated Fiberglass Cloth	Fit	Universal

FOR EXAMPLE

TB1212

Item	High Temperature Insulation Wrap	Fastening	Strap/Buckle System
Length	12in / 305mm	Approx "R" Factor	.48
Width	12in / 305mm	Max Temp	900°F/ 483°C
Thickness	1in/ 25mm	Color	Green
Insulation Material	Ceramic Fiberglass	Weight	1.13lbs / 0.51kg
Jacket Material	PTFE Coated Fiberglass Cloth	Fit	Universal

TB PART NUMBER	LENGTH (A)	WIDTH (B)	WEIGHT (C)
TB1212	12in / 305mm	12in / 305mm	1.13lbs / 0.51kg
TB1224	12in / 305mm	24in / 610mm	2.28lbs / 1.03kg
TB1236	12in / 305mm	36in / 914mm	3.16lbs / 1.43kg
TB1248	12in / 305mm	48in / 1219mm	4.08lbs / 1.85kg
TB2424	24in / 610mm	24in / 610mm	3.98lbs / 1.81kg
TB2436	24in / 610mm	36in / 914mm	6.03lbs / 2.74kg
TB2448	24in / 610mm	48in / 1219mm	8.00lbs / 3.63kg
TB3636	36in / 914mm	36in / 914mm	8.67lbs / 3.93kg
TB3648	36in / 914mm	48in / 1219mm	11.89lbs / 5.39kg
TB4848	48in / 1219mm	48in / 1219mm	15.70lbs / 7.12kg



UNIVEST[®]—THROW BLANKET PRODUCT SPECS

Each UniVest[®] Throw Blanket with Magnets part number has its own individual **Length**, **Width** and **Weight** dimensions. All additional product information stays the same. Use the table below to help you indentify the **Length (A)**, **Width (B)** and **Weight (C)** measurements for each individual UniVest[®] Throw Blanket with Magnets part number. Fill in the designated sections (**A**, **B** and **C**) to get your product spec descriptions for each UniVest[®] Throw Blanket with Magnets part number.

PRODUCT DESCRIPTION

Item	High Temperature Insulation Wrap	Fastening	Magnets
Length	(A)	Approx "R" Factor	.48
Width	(B)	Max Temp	900°F/ 483°C
Thickness	1in/ 25mm	Color	Green
Insulation Material	Ceramic Fiberglass	Weight	(C)
Jacket Material	PTFE Coated Fiberglass Cloth	Fit	Universal

FOR EXAMPLE

TB1212M

Item	High Temperature Insulation Wrap	Fastening	Magnets
Length	12in / 305mm	Approx "R" Factor	.48
Width	12in / 305mm	Max Temp	900°F/ 483°C
Thickness	1in/ 25mm	Color	Green
Insulation Material	Ceramic Fiberglass	Weight	1.46lbs / 0.66kg
Jacket Material	PTFE Coated Fiberglass Cloth	Fit	Universal

TBM PART NUMBER	LENGTH (A)	WIDTH (B)	WEIGHT (C)
TB1212M	12in / 305mm	12in / 305mm	1.46lbs / 0.66kg
TB1224M	12in / 305mm	24in / 610mm	2.77lbs / 1.26kg
TB1236M	12in / 305mm	36in / 914mm	3.77lbs / 1.71kg
TB1248M	12in / 305mm	48in / 1219mm	5.00lbs / 2.27kg
TB2424M	24in / 610mm	24in / 610mm	4.71lbs / 2.14kg
TB2436M	24in / 610mm	36in / 914mm	6.77lbs / 3.07kg
TB2448M	24in / 610mm	48in / 1219mm	8.78lbs / 3.98kg
TB3636M	36in / 914mm	36in / 914mm	10.16lbs / 4.61kg
TB3648M	36in / 914mm	48in / 1219mm	13.52lbs / 6.13kg
TB4848M	48in / 1219mm	48in / 1219mm	17.73lbs / 8.04kg



UNIVEST[®]-STRAPS & BUCKLES PRODUCT SPECS

Each UniVest[®] Straps & Buckles part number has its own individual **Length** and **Weight** dimensions. All additional product information stays the same. Use the table below to help you identify the **Length (A)** and **Weight (B)** for each individual Straps & Buckles part number. Fill in the designated sections **(A and B)** to get your product spec descriptions for each Straps & Buckles part number.

PRODUCT DESCRIPTION

Item	High Temperature Insulation wrap	Max Temperature	1200°F / 649°C
Length	(A)	Color	Tan
Width	1in / 25mm	Fastening	Buckles
Thickness	0.125in / 3.175mm	Weight	(B)

FOR EXAMPLE:

S24

Item	High Temperature Insulation wrap	Max Temperature	1200°F / 649°C
Length	24in / 610mm	Color	Tan
Width	1in / 25mm	Fastening	Buckles
Thickness	0.125in / 3.175mm	Weight	1.25lbs / 0.57 kg

S PART NUMBER	LENGTH (A)	WEIGHT (B)
S24	24in / 610mm	1.25lbs / 0.57kg
S36	36in / 914mm	1.50lbs / 0.68kg
S48	48in / 1219mm	1.75lbs / 0.79kg

